


[www.ALBIXON.com](http://www.ALBIXON.com)

The photographs used in this catalogue are for illustrative purposes only. ALBIXON a.s. reserves the right to make changes to all the data in this catalogue without prior notice for the sake of development and improvement of the products, packaging and technological processes. Typesetting and printing errors reserved. Published 2024.



YOUR OUTDOOR HOME

# CONTENTS

## SWIMMING POOLS AND SWIMMING POOL SETS

A Swimming Pool Set.....	08
Overflow Pools.....	16
Skimmer Pools.....	20
Quality materials are a must .....	24
Step Shapes .....	26

## TECHNOLOGY

Technology Walls.....	32
Technology Shafts .....	34

## ENCLOSURES

BERGEN .....	40
SYDNEY / SYDNEY CLEAR .....	42
CASABLANCA INFINITY.....	44
DALLAS / DALLAS CLEAR .....	46

## ENCLOSURES

KLASIK PRO / KLASIK PRO CLEAR.....	48
KLASIK / KLASIK CLEAR.....	50
MONACO FUTURE.....	52
CASABLANCA .....	54
DALLAS WALL-MOUNTED .....	56

## ACCESSORIES

MOOVER .....	66
Pool Accessories .....	68



# ABOUT US

A major manufacturer of swimming pools and enclosures in Europe



- ➔ A traditional Czech family company – on the market since 1990
- ➔ 35 000 pools and 100 000 enclosures assembled and installed in the ground
- ➔ Sold in 70 countries around the world
- ➔ 250 highly-qualified personnel
- ➔ 1,500 m<sup>2</sup> development and design centre
- ➔ 99,000 m<sup>2</sup> of production and storage areas
- ➔ Precise quality control
- ➔ High-capacity powder paint shop in Central Europe with modern Decoral technology
- ➔ Selected products and manufacturing processes are protected by utility models and awarded international certificates
- ➔ We have obtained a declaration of conformity for selected pool enclosures with the AFNOR NF P 90-309 standard (October 2007) issued by the accredited LNE testing laboratory in France
- ➔ QBIG BENEFIT pools and KLASIK, DALLAS, CASABLANCA, CASABLANCA INFINITY and MONACO FUTURE enclosures are NSF certified



# SWIMMING POOL SETS



# A SWIMMING POOL SET

A pool, enclosure, and technology in one!

Get one of our popular pool sets to benefit from a high-quality pool, an enclosure and all the necessary pool technology in a technology shaft or wall.

Choose from over **400 different combinations!**



SWIMMING POOL	TECHNOLOGY	ENCLOSURES
The heart of your water fun	The motor which drives your pool	Your pool's coat
↪ seven standard sizes	↪ different equipment levels	↪ various designs
↪ two depths	↪ underground and above-ground variants	↪ dozens of colours and decorative patterns
↪ three colours	↪ intelligent pool technology control	↪ two types of panels
↪ skimmer or overflow	↪ various water treatment options	↪ rail/railless design option
Which one will be yours? You can choose from the offer on pages 10–27.	Which design will you choose? Take a look at pages 28–35.	Which enclosure will you choose? Take a look at pages 36–63.



# SWIMMING POOLS

# WHY CHOOSE AN ALBIXON POOL?








- ➔ Your guide from pool selection to commissioning
- ➔ Wide range of pool options
- ➔ Overflow and skimmer pools
- ➔ Made in the Czech Republic
- ➔ High-quality materials ALBISTONE® and POLYSTONE®
- ➔ Intelligent pool technology control
- ➔ Economical water treatment
- ➔ Simple maintenance, easy winterizing and energy savings
- ➔ Modern design



# QBIG BENEFIT SERIES POOLS


## Introducing our pool solution

### What do the BENEFIT pools provide?

-  Faster construction work? Very much so!
-  Need to drain the water? Not necessary!
-  Preparation for winter? A piece of cake!
-  More economical operation? Undoubtedly!
-  Easier to maintain? Of course!
-  Our own premium-quality structure. Yes!
-  Significant construction cost savings.

### Did you know that...

The BENEFIT pools are provided with an outside thermal structure that is 25 cm thick, which after filling with concrete, serves as both a load-bearing and thermal insulating element of the pool. This helps speed up the construction and lets you enjoy your pool as soon as possible.





# OVERFLOW POOLS

A clean design, water up to the edge and the feeling of an infinite surface

The X-FLOW grid comes standard with all our QBIG BENEFIT overflow pools.







X-FLOW Grey



X-FLOW White



	STANDARD POOLS – AVAILABLE AS A SET OR INDIVIDUALLY	CUSTOMIZED POOLS – 100% CUSTOM MADE
 DIMENSIONS	3 x 5 m / 3 x 6 m / 3 x 7 m / 3,5 x 7 m / 3 x 8 m / 3,5 x 8 m / 4 x 8 m	Length: 4–9 m/Width: 2–4 m
 COLOUR	light blue, white, grey*	light blue, white, grey*
 DEPTH	1,2 / 1,5 m	1,2 / 1,35 / 1,5 m
 SHAPE	a rectangle with square corners	a rectangle with square corners

\*Some colours may not be available for all pool sizes.

**Did you know that...**

Our pools save water; with proper maintenance you don't need to empty the pool for several years.



**ALBIXON**



# SKIMMER POOLS

Time-tested swimming pools in a new design

Now even better, thanks to the possibility of finishing with an elegant X-SHAPE trim .







X-SHAPE Anthracite DB 703



X-SHAPE Silver



	STANDARD POOLS – AVAILABLE AS A SET OR INDIVIDUALLY	CUSTOMIZED POOLS – 100% CUSTOM MADE
 DIMENSIONS	3 x 5 m / 3 x 6 m / 3 x 7 m / 3,5 x 7 m / 3 x 8 m / 3,5 x 8 m / 4 x 8 m	Length: 4–9 m/Width: 2–4 m
 COLOUR	light blue, white, grey*	light blue, white, grey*
 DEPTH	1,2 / 1,5 m	1,2 / 1,35 / 1,5 m
 SHAPE	a rectangle with square corners	a rectangle with square corners

\*Some colours may not be available for all pool sizes.

## Did you know that...

Optimized placement of nozzles ensures improved water circulation and significantly reduces the consumption of pool chemicals.




**ALBIXON**

# QUALITY MATERIALS ARE A MUST

Our swimming pools are manufactured using only premium-quality materials developed specifically for swimming pools




Pools manufactured in blue and grey are made from ALBISTONE®, a material developed by a team of our process engineers and tested in a series of lab tests.



For white pools, we have recently started using the POLYSTONE® P copolymer, a material developed by Röchling Engineering Plastics of Germany for the specific purpose of building pools.

The materials are mainly distinguished by UV stabilisation, high mechanical resistance and strength, durability and long service life.




# STEP SHAPES

A range of steps to suit your preferences.

We will manufacture your pool with square corners, allowing you to utilize the maximum space of any pool size. Whether you are planning fitness swimming, splashing around or relaxing with your family, an ALBIXON pool will always adapt to your needs.

You choose the right steps for your pool. In pools with a depth of 120 cm, there are three steps (four steps when choosing the X-AIR and X-AIR+ versions), while in pools with a depth of 150 cm, there are four steps (five steps when choosing the X-AIR and X-AIR+ versions).




### Non-slip design of the stairs

Compatible stair types have three fine grooves placed near the edge to prevent slipping.

Straight steps  
over the corner



X-AIR



X-AIR+




Rectangular steps  
in the corner



Straight steps over  
the corner with a bench\*



Rectangular steps\*



\*Rectangular steps and straight steps over the corner with a bench are only available for custom pools.



# TECHNOLOGY

*The polypropylene pool is not self-supporting, so it is necessary to follow all the principles of safe concreting specified in the building preparations documentation.*



Technology wall



Technology shaft



Salt dispenser



Filtration



Pump



Heat pump



Swim jet

## Comfort? A top priority!

To make bathing as enjoyable as possible, we have designed swimming pools and technology with an emphasis on ease of operation and maintenance. In general, the more advanced the technology you choose, the less you will have to deal with. Interested in specific options? Just turn to the following pages.

## Where will it go?

To simplify your selection, we have prepared the most popular pool technology combinations as standard solutions. The first option is a technology wall, which you can place, for example, in a garden house, cellar or garage. The other option is a technology shaft, in the ground immediately next to the pool. It is up to you to choose the option which suits you best.

## What type of water treatment should you choose?

Water treatment helps to keep the pool clear and in great condition, with the crucial parameters in balance. The most popular is salt water treatment using a salt dispenser. From the salt water in the pool, the necessary amount of chlorine is produced in a natural concentration to clean the pool water. Salt dispensers have gained in popularity because they offer abundant options for extensions, such as automatic pH adjustment or smart pool technology control.

## Pool technology? What is that?

Pool technology is often nicknamed "the motor of the pool". It is not visible at first glance, but it keeps everything in operation. The circulation pump ensures the water circulation. Then there is sand filtration, which removes mechanical impurities from the pool water. This is followed by a water treatment unit, which keeps the pool water in perfect condition.

**Did you know that our product specialists are directly involved in the development of BRILIX pool equipment? We guarantee its quality!**



# TECHNOLOGY WALLS

## Wide range of placement options

The most convenient access to the pool technology is provided by a technology wall. It can be installed in your garage or garden house. All the pool technology will be protected and easily accessible when necessary.



	BASIC PLUS	ECONOMIC	OXY	UV	STATION
Filtration	BRILIX P500 – 85 kg				
Pump	PREVA 50 – flow rate 9 m <sup>3</sup> /h				
Water treatment	BRILIX NEOSAL	BRILIX HIDROLIFE	BRILIX OXILIFE	BRILIX UV SCENIC	BRILIX STATION
Water	Salt 3 g/l	Salt 3 g/l	Salt 1,5 g/l	Salt 1,5 g/l	Freshwater
Preparation for intelligent pool technology control	X	✓	✓	✓	✓
Heat pump connecting point, discharge connecting point	✓	✓	✓	✓	✓
Possibility of combination with counterflow	✓	✓	✓	✓	✓
Counterflow pump	X	X	X	X	X
Remote control of the pool light	✓	✓	✓	✓	✓
Pipes, fittings, electrical switchboard <sup>1)</sup>	✓	✓	✓	✓	✓
Dimensions (W x H x D)	160 x 140 x 69 cm	160 x 140 x 69 cm	160 x 140 x 69 cm	160 x 140 x 69 cm	160 x 140 x 69 cm
Wall colour	White	White	White	White	White

<sup>1)</sup> The switchboard is equipped with an electrical outlet for the installation of an additional socket.

Still haven't found what you were looking for? It doesn't matter! We will be pleased to tailor the technological equipment for you.

# TECHNOLOGY SHAFTS

To be located near the pool

The technology shaft is located close to the pool. It houses all the equipment discreetly. The counterflow drive can also be placed in the shaft in addition to the pool technology.



	BASIC PLUS	ECONOMIC	COMFORTPLUS	OXY	OXY PLUS	UV	UV PLUS	STATION	STATIONPLUS
Filtration	BRILIX P500 – 85 kg								
Pump	PREVA 50 – flow rate 9 m <sup>3</sup> /h								
Water treatment	BRILIX NEOSAL	BRILIX HIDROLIFE		BRILIX OXILIFE		BRILIX UV SCENIC		BRILIX STATION	
Water	Salt 3 g/l	Salt 3 g/l		Salt 1,5 g/l		Salt 1,5 g/l		Freshwater	
Preparation for intelligent pool technology control	X	✓	✓	✓	✓	✓	✓	✓	✓
Heat pump connecting point, discharge connecting point	✓	✓	✓	✓	✓	✓	✓	✓	✓
Counterflow connecting point	X	X	✓	X	✓	X	✓	X	✓
Counterflow pump	X	X	✓	X	✓	X	✓	X	✓
Remote control of the pool light	✓	✓	✓	✓	✓	✓	✓	✓	✓
Pipes, fittings, electrical switchboard <sup>1)</sup>	✓	✓	✓	✓	✓	✓	✓	✓	✓
Shaft diameter	120 cm	150 cm	150 cm	150 cm	150 cm	150 cm	150 cm	150 cm	150 cm
Shaft depth	120 cm	120 cm	120 cm	120 cm	120 cm	120 cm	120 cm	120 cm	120 cm
Lid colour	Grey	Grey	Grey	Grey	Grey	Grey	Grey	Grey	Grey

<sup>1)</sup> The switchboard is equipped with an electrical outlet for the installation of an additional socket.

Still haven't found what you were looking for? It doesn't matter! We will be pleased to tailor the technological equipment for you.



# ENCLOSURES

**Did you know that...**

Safety, savings, and an extended season are some of advantages provided to you by an ALBIXON pool enclosure. See for yourself!

# WHY AN ALBIXON ENCLOSURE?

## A safety and design feature in your garden

Thanks to our extensive experience, we can guide you through the entire purchase process, from choosing the right model and size to installing the enclosure over your pool. Elevate your poolside comfort by choosing from a wide selection of pool enclosures, from ultra low to high.

- ➔ Most of the pool enclosures have obtained compliance with the standard AFNOR NF P 30-309 – the structure can withstand wind speeds of 120 km/h, snow weight 60 kg/m<sup>2</sup> and meets the safety requirements for the protection of users
- ➔ Internationally recognized NSF certification that guarantees quality of the materials used and their safety
- ➔ Profiles are painted in our own certified powder coating plant
- ➔ Option of covering - compact polycarbonate 4 mm thick with UV protection or cellular polycarbonate 8 mm thick with UV protection

### Advantages of pool enclosures

- ➔ Safety for your children and pets
- ➔ Higher water temperature
- ➔ Water purity
- ➔ Pool maintenance time savings
- ➔ Lower your cost of water treatment chemicals
- ➔ Your bathing season extended
- ➔ Protection of the pool from external influences
- ➔ Swimming in bad weather
- ➔ Pool and home value increased



# TERRACE ENCLOSURE BERGEN

Swim by day, dance by night!

We are delighted to introduce a fully-fledged mobile terrace that not only covers your pool, but thanks to its high rigidity and load-bearing capacity, also creates additional possibilities for activities and relaxation, thus allowing the full use of your garden all year round.



	BERGEN
 <b>MAXIMUM ENCLOSED AREA</b>	342 x 642 cm
 <b>STANDARD HEIGHT</b>	16,5 cm
 <b>LOAD CAPACITY PER M<sup>2</sup></b>	250 kg/m <sup>2</sup>
 <b>RAIL</b>	Single-sided rail, walkable surface
 <b>NUMBER OF MODULES</b>	2
 <b>MODULE PANELS</b>	EXTERPARK WPC boards – bamboo (60 %), HDPE (30 %) and additives (10 %)


\* Standard – no extra charge



# SYDNEY / SYDNEY CLEAR

Low profile, elegant curves and a modern look

A designer enclosure which we have developed for you in cooperation with automotive designers.



	SYD. AS	SYD. CLEAR AS	SYDNEY A	SYD. CLEAR A	SYD. BD	SYD. CLEAR BD	SYD. BS	SYD. CLEAR BS	SYD. B	SYD. CLEAR B	SYD. C	SYD. CLEAR C
<b>MAX. AREA</b>	350 x 555 cm		350 x 635 cm		350 x 850 cm		400 x 740 cm		400 x 850 cm		450 x 850 cm	
<b>COLOUR</b>	Anthracite DB 703											
<b>RAIL</b>	AIR single-sided, only one rail for the largest module (other modules are railless)											
<b>NUMBER OF MODULES</b>	3	3	3	3	4	4	4	4	4	4	4	4
<b>MODULE PANELS</b>	PK8 <sup>1)</sup>	PK4 <sup>2)</sup>	PK8 <sup>1)</sup>	PK4 <sup>2)</sup>	PK8 <sup>1)</sup>	PK4 <sup>2)</sup>	PK8 <sup>1)</sup>	PK4 <sup>2)</sup>	PK8 <sup>1)</sup>	PK4 <sup>2)</sup>	PK8 <sup>1)</sup>	PK4 <sup>2)</sup>

<sup>1)</sup> PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection (Front and rear head always with PK4 panel)

<sup>2)</sup> PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection (Front and rear head always with PK4 panel)  
The guide rail is not sunk in the ground and can be placed on the left or right, always with an extension.


# CASABLANCA INFINITY

Subtle, yet sophisticated, this is the CASABLANCA INFINITY

A low enclosure, which at first glance seems inconspicuous, it offers many surprises which appeal to everyone.








Carbon



Anthracite DB 703



	CASABLANCA INFINITY A	CASABLANCA INFINITY B
 <b>MAX. AREA</b>	346 x 635 cm	442 x 850 cm
 <b>COLOUR</b>	Carbon fibre finish, Anthracite DB 703 <sup>1)</sup>	Carbon fibre finish, Anthracite DB 703 <sup>1)</sup>
 <b>RAIL</b>	AIR double-sided/single-sided <sup>2)</sup>	AIR double-sided/single-sided <sup>2)</sup>
 <b>NUMBER OF MODULES</b>	3	4
 <b>MODULE PANELS</b>	PK4 <sup>3)</sup>	PK4 <sup>3)</sup>

<sup>1)</sup> The version with a single-sided rail is always in the Carbon design.


<sup>2)</sup> The left/right position of the track is determined when looking at the largest module from the front. The rail is not sunk into the ground. Each module has its own track. The railless side is equipped with lockable stoppers.

<sup>3)</sup> PK4 – Transparent compact polycarbonate with a thickness of 4 mm with UV protection. This enclosure is manufactured with transparent panels only. **Still haven't found what you were looking for? It doesn't matter! We will be pleased to tailor the enclosure for you.**


# DALLAS / DALLAS CLEAR

Fond of round shapes and graceful curves?

You are sure to love the DALLAS enclosure. It is one of the most popular models and fits into any garden.



Silver



Anthracite DB 703

	DALLAS A	DALLAS CLEAR A	DALLAS B	DALLAS CLEAR B
MAX. AREA	363 x 635 cm		462 x 850 cm	
COLOUR	Silver, Anthracite DB 703		Silver, Anthracite DB 703	
RAIL	AIR double-sided		AIR double-sided	
NUMBER OF MODULES	3	3	4	4
MODULE PANELS	PK8 <sup>1)</sup>	PK4 <sup>2)</sup>	PK8 <sup>1)</sup>	PK4 <sup>2)</sup>

<sup>1)</sup> PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection

<sup>2)</sup> PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection

Still haven't found what you were looking for? It doesn't matter! We will be pleased to tailor the enclosure for you.










# KLASIK PRO / KLASIK PRO CLEAR

Minimum height and maximum resistance to snow load

After several years of testing in Nordic conditions, we bring you the durable KLASIK PRO pool enclosure. You will appreciate its **elegant lines, durability and low profile.**

Anthracite DB 703

	KLASIK PRO B	KLASIK PRO CLEAR B
 <b>MAX. AREA</b>	413 x 850 cm	413 x 850 cm
 <b>COLOUR</b>	Anthracite DB 703	Anthracite DB 703
 <b>RAIL</b>	AIR double-sided	AIR double-sided
 <b>NUMBER OF MODULES</b>	4	4
 <b>MODULE PANELS</b>	PK8 <sup>1)</sup>	PK4 <sup>2)</sup>

<sup>1)</sup> PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection


<sup>2)</sup> PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection




# KLASIK / KLASIK CLEAR

## Medium-high pool enclosure

It combines the advantages of low and high models. This is the KLASIK enclosure, which will serve you faithfully for many years.



Silver



Anthracite DB 703



	KLASIK S	KLAS. CLEAR S	KLASIK A	KLAS. CLEAR A	KLASIK B	KLAS. CLEAR B	KLASIK C	KLAS. CLEAR C	KLASIK D	KLAS. CLEAR D
MAX. AREA	331 x 420 cm		317 x 635 cm		413 x 850 cm		499 x 1060 cm		564 x 1276 cm	
COLOUR	Anthracite DB 703				Silver, Anthracite DB 703				Anthracite DB 703	
RAIL					AIR double-sided					
NUMBER OF MODULES	2	2	3	3	4	4	5	5	6	6
MODULE PANELS	PK8 <sup>1)</sup>	SAN <sup>2)</sup>	PK8 <sup>1)</sup>	SAN <sup>2)</sup>	PK8 <sup>1)</sup>	SAN <sup>2)</sup>	PK8 <sup>1)</sup>	SAN <sup>2)</sup>	PK8 <sup>1)</sup>	SAN <sup>2)</sup>

<sup>1)</sup> PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection

<sup>2)</sup> SAN – transparent panel with a thickness of 4 mm

Still haven't found what you were looking for? It doesn't matter! We will be pleased to tailor the enclosure for you.

# MONACO FUTURE

This enclosure will become a remarkable decorative feature of any garden

Have fun with your friends by the pool, have fun with the kids in the water, keep in shape or just relax quietly, regardless of the weather outside.



CUSTOM MONACO FUTURE	
✂️ MAX. AREA	Custom dimensions of enclosure
🎨 COLOUR	Selection of the panel type and colour
🚪 RAIL	AIR double-sided
📏 NUMBER OF MODULES	1      2      3      4      5      6      7
📐 MODULE PANELS	PK8 <sup>1)</sup> , PK4 <sup>2)</sup> , SAN <sup>3)</sup>

<sup>1)</sup> PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection

<sup>2)</sup> PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection

<sup>3)</sup> SAN – transparent panel with a thickness of 4 mm

# CASABLANCA

The CASABLANCA enclosure – a dominant landmark of your garden

It is not only a majestic pool enclosure, but also a space for year-round use.

You no longer need worry about the weather for some poolside fun with your family or friends.



CUSTOM CASABLANCA							
 MAX. AREA	Custom dimensions of enclosure						
 COLOUR	Selection of the panel type and colour						
 RAIL	AIR double-sided / AIR XL double-sided						
 NUMBER OF MODULES	1	2	3	4	5	6	7
 MODULE PANELS	PK8 <sup>1)</sup> , PK4 <sup>2)</sup>						

<sup>1)</sup> PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection

<sup>2)</sup> PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection

# DALLAS WALL-MOUNTED

The best way to enclose a swimming pool located near a wall?

The solution is the custom DALLAS WALL-MOUNTED enclosure, which offers you an unexpected space in a small footprint.



CUSTOM DALLAS WALL-MOUNTED	
MAX. AREA	Custom dimensions of enclosure
COLOUR	Selection of the panel type and colour
RAIL	AIR rail + Wall-mounted rail
NUMBER OF MODULES	1      2      3      4      5      6      7
MODULE PANELS	PK8 <sup>1)</sup> , PK4 <sup>2)</sup>

<sup>1)</sup> PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection

<sup>2)</sup> PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection

## Enclosures – technical details



**Durable polycarbonate** that is stabilized and protects your pool perfectly.

**The enclosure structure** is made of highly resistant profiles. They are smoothly rounded and undergo rigorous testing.

**The stoppers** secure the enclosure against unwanted movement. To increase the safety, we recommend the lockable option.


Rolling on stainless steel encapsulated bearings makes it easy to move the enclosure. Sophisticated hooks prevent the inadvertent lifting of the module.

**The AIR track can be walked on**, is easy to sink into the ground, and provides hidden anchoring elements.





### Compact polycarbonate

The most popular variant is the compact polycarbonate PK4 with a thickness of 4 mm. You will love its elegant appearance and perfect transparency. UV protection as standard and available in 2 colours.



### Channel polycarbonate

The channel polycarbonate PK8 and PK10 with a thickness of 8 or 10 mm is stable. It has excellent insulation capabilities and provides plenty of privacy when swimming under a roof. UV protection as standard and **available in 2 colours**.




### Standard styrene acrylonitrile

An economical option is styrene acrylonitrile SAN with a thickness of 4mm. You will love it especially for its price attractiveness while maintaining a pleasant appearance and high transparency. UV protection as standard and available only in clear.



## Profile colours

The enclosure structure is finished with a durable powder paint in our own specialized and certified paint shop. You can choose from a wide range of colours and decors. For standard enclosures, the colours are fixed; for custom-made enclosures you have the following options:

<b>SILVER</b> Basic colours	<b>ANTHRACITE DB 703</b> Basic colours	<b>PINE</b> Additional colours	<b>CARBON</b> Additional colours	<b>DOUGLAS</b> Additional colours
<b>SHIRE OAK</b> Additional colours	<b>ELM</b> Additional colours	<b>CHESTNUT</b> Additional colours	<b>WALNUT</b> Additional colours	<b>ROVERE</b> Additional colours
<b>ZEBRANO</b> Additional colours	<b>GOLDEN OAK</b> Additional colours	<b>GREEN RAL 6005</b> Additional colours	<b>GREY RAL 7016</b> Additional colours	<b>BRONZO</b> Additional colours
<b>RUSTIK</b> Additional colours	<b>MAHAGON</b> Additional colours	<b>WHITE RAL 9016</b> Additional colours	 <b>PREMIUM COLOURS</b> RAL	

Feel free to come and check our sample book.





**ALBIXON**







# ACCESSORIES

## Did you know that...

We offer heat pumps, filtration equipment, counterflows, or accessories not requiring installation, such as thermometers and vacuum cleaners. The most popular are devices that help you relax in your pool.

# MOOVER

## Electric movement for the pool enclosure

We have listened to you, and in cooperation with designers from the automotive industry, we have developed an autonomous electric movement system that you can install with serial enclosures made by ALBIXON. The batteries are charged through the solar panel, or from the mains with a power adapter. Installation of the MOOVER is straight forward.

We are proud to announce that our innovative MOOVER product has received a prestigious Red Dot Award 2023 for product design.



### SPECIFICATIONS

#### DIMENSIONS

Length: 1157 mm | Width: 80 mm (without mounting brackets and external connectors) | Width: 110 mm (with mounting brackets) | Height: 163 mm

#### WEIGHT

MOOVER weight (incl. battery): 27 kg | Weight of package: 30 kg

#### DRIVE

Gearbox type: auger | Motor power: 150 W



reddot winner 2023

# POOL ACCESSORIES

We make sure that we are a one-stop pool shop for you. That is why you will find a wide range of pool accessories here.



Pool robots and vacuum cleaners



Filtration pumps



Heat pumps



Sand filters



Salt dispensers



Lighting

## Why BRILIX accessories?

- ➔ High-quality components
- ➔ Optimal price/quality ratio
- ➔ A reliable solution for your swimming pool

- ➔ Short delivery times within the EU
- ➔ Complete range of products

BRILIX accessories can now be comfortably controlled using the mobile app.  
[APP.BRILIX.com](http://APP.BRILIX.com)



## ALBIXON

70

1990

### ESTABLISHMENT

Our history dates back to 1990, when the Smetana brothers founded the company under the name ALBION. At that time, no one had any idea that it would later become a leading player in the swimming pool industry throughout Europe.

2011

### ALBION → ALBIXON

New company name. And the founders put it simply: "The name Albion referred to England, as we have always admired their business culture and freedom. But people mistook us for other companies, so we added an 'X' to create ALBIXON."

2012

### NEW POWDER PAINT SHOP

We open a new powder paint shop with the modern DECORAL line, which allows us to use dozens of colours, designs and patterns, not only for our enclosures, but also for many external customers and their various projects in and outside the Czech Republic.

2023

### SKYTRIUM & BERGEN

In line with our new mission and vision, we are launching the SKYTRIUM bioclimatic pergolas and the BERGEN pool terrace enclosure. With the MOOVER electric moving system, we have received the prestigious Red Dot Award 2023 for product design.

1995

### SWIMMING POOLS ON THE RISE

ALBION is fully engaged in the production of swimming pools and thanks to the first series pools, the production volumes are growing rapidly. Despite this, demand far exceeds supply, and ambitious plans for the coming years are born in the founders' minds.

2006

### BRILIX

Customers no longer want just a pool and an enclosure, but demand a complete pool set from a single supplier. Complexity has become a challenge for us and room for further growth. We responded by creating the BRILIX division, specialising in the sale of our own pool accessories.

2014

### SKYTRIUM

We listened to the wishes of our customers and offer a solution connecting gardens and family homes. This is how the SKYTRIUM terrace enclosure was created – the garden and the house.

2022

### MOOVER

Introducing MOOVER – the universal solution and autonomous enclosure sliding solution. We listened to our customers and, in cooperation with automotive designers, we developed an electric sliding system with an elegant design that operates pool enclosures at the touch of a button.

1998

### PRODUCTION OF ENCLOSURES

We respond to the increasingly urgent demands of our customers and include pool enclosures in our product portfolio. These soon became our flagship product and their popularity is growing every year.

2004

### ENCLOSURES IN BOX

We started offering our enclosures in a BOX. The advantages include the considerable savings in the cost of transportation, simple assembly and speed of delivery. We established the IDEALCOVER brand (later renamed ALBIXON BOX) for the export of these enclosures.

2017

### QBIG POOLS

We launch a design solution for the QBIG series of swimming pools protected by a utility model. Thanks to the built-in lost formwork on the outside of the pool, we can speed up the construction work, saving our customers' time and money.

2001

### POWDER PAINT SHOP

ALBION's first powder paint shop launched in Hořovice significantly supports the production of enclosures and at the same time meets the demand of external customers.

2002

### EXPORT

After the first decade of operation, we became a strong player on the Czech market. We then took the opportunity and decided to expand and sell our products abroad, through official B2B partners. First we took it to the neighbouring German market.

2019

### SYDNEY & X-FLOW

The year 2019 was full of new achievements reported by our development team. We expand our product portfolio with the elegant and unique SYDNEY serial enclosure system and the luxurious MIAMI customized roofing. We also add our own X-FLOW overflow grid to differentiate ourselves in the market.

2021

### 3D PRINTING

We are investing in 3D printing and strengthening our development capabilities. Thanks to professional prototypes and our own production of plastic, we are opening the door to further innovations for our customers.

